

Zieliński Ewa, Wielgus Adriana, Sas Katarzyna, Zukow Walery. Health threats resulting from soil and groundwater contamination in e-dumps on the Agbogbloshie example. *Journal of Education, Health and Sport*. 2018;8(12):538-545. eISSN 2391-8306. DOI <http://dx.doi.org/10.5281/zenodo.2525538>
<http://ojs.ukw.edu.pl/index.php/johs/article/view/6414>

The journal has had 7 points in Ministry of Science and Higher Education parametric evaluation. Part B item 1223 (26/01/2017).
1223 Journal of Education, Health and Sport eISSN 2391-8306 7

© The Authors 2018;

This article is published with open access at Licensee Open Journal Systems of Kazimierz Wielki University in Bydgoszcz, Poland
Open Access. This article is distributed under the terms of the Creative Commons Attribution Noncommercial License which permits any noncommercial use, distribution, and reproduction in any medium, provided the original author (s) and source are credited. This is an open access article licensed under the terms of the Creative Commons Attribution Non commercial license Share alike. (<http://creativecommons.org/licenses/by-nc-sa/4.0/>) which permits unrestricted, non commercial use, distribution and reproduction in any medium, provided the work is properly cited.

The authors declare that there is no conflict of interests regarding the publication of this paper.

Received: 20.11.2018. Revised: 20.12.2018. Accepted: 24.12.2018.

Health threats resulting from soil and groundwater contamination in e-dumps on the Agbogbloshie example

Zagrożenia zdrowia wynikające z zanieczyszczeń gleby i wód gruntowych na terenie e-wysypisk śmieci na przykładzie Agbogbloshie

Ewa Zieliński¹, Adriana Wielgus², Katarzyna Sas², Walery Zukow³

¹Chair of Emergency Medicine and Medicine Disaster Collegium Medicum in Bydgoszcz, Nicolaus Copernicus University in Toruń, Toruń, Poland

²Chair and Institute of Pedagogy and Teaching Nursing Collegium Medicum in Bydgoszcz, Nicolaus Copernicus University in Toruń, Toruń, Poland

³Department of Spatial Management and Tourism, Faculty of Earth Sciences, Nicolaus Copernicus University in Toruń, Toruń, Poland

Słowa klucz: e-wysypiska, Agbogbloshie, zanieczyszczenie gleby i wód gruntowych, Ghana

Key words: e-waste, Agbogbloshie, soil and groundwater pollution, Ghana

Streszczenie

Szybki wzrost gospodarczy, rosnąca urbanizacja i globalizacja spowodowały wzrost konsumpcji sprzętów elektronicznych i produkcji e-odpadów. Największe wysypiska e-odpadów znajdują się w krajach rozwijających się, w większości w pobliżu dużych miast o dużej populacji. Większość z nich znajduje się w pobliżu lokalnych targowisk i źródeł wody. Spalanie e-odpadów na terenie e-wysypisk początkowo skutkuje ekstremalnym miejscowym zanieczyszczeniem, a następnie migracją metali ciężkich do wód i kolejnych ogniw łańcucha pokarmowego przez skażoną wodę, warzywa, ryby, mleko i mięso. Negatywny wpływ na zdrowie pracowników e-wysypisk ma toksyczne wdychanie dymu i kontakt ze skórą, podczas gdy lokalna społeczność jest narażona na zanieczyszczenia metalami ciężkimi przez unoszący się na odległości kilkuset metrów dym, kurz oraz wodę pitną i żywność.

Summary

Rapid economic growth, an increasing urbanization and globalization caused increasing of consumption and production of e-waste. The biggest e-waste yards are located in developing countries, most of them nearby of big cities with a large population. Most of them are located nearby markets and water sources. Burning of e-waste at e-waste sites initially results in extreme localised contamination followed by migration of the heavy metals into waters and subsequent links of food chains by contaminated water, vegetables, fish, milk and meat consumption. E-waste workers suffer negative health effects through toxic smoke inhalation and skin contact, while the wider community are exposed to the heavy metals contaminants through smoke, dust, drinking water and food.

Introduction

Rapid economic growth, an increasing urbanization and globalization caused increasing of consumption and production of e-waste [1] E-waste is old, end-of-life electronic and electrical equipments or waste generated from any equipment running on electricity or a battery including computers, laptops, TVs, DVD players, mobile phones, MP3 players, etc., which have been disposed by users [2] The biggest e-waste yards are located in developing countries, most of them nearby of big cities with a large population. One of those places is Agbogbloshie in the city center of Accra, Ghana, West Africa. At e-waste yard electronic and electrical devices are decomposed into first parts. Plastic coated wires and cables are burnt in order to isolate copper from plastics. Studies conducted in similar e-waste yards in China and India have shown that unregulated disposal of such wastes and their burning can contaminate soil, groundwater, and air. The effects of soil, groundwater and air pollution affect not only all those involved in e-waste processing but also the nearby communities [3] Burning of e-waste at e-waste sites initially results in extreme localised contamination followed by migration of the heavy metals into waters and subsequent links of food chains by contaminated water, vegetables,

fish, milk and meat consumption. E-waste workers suffer negative health effects through toxic smoke inhalation and skin contact, while the wider community are exposed to the heavy metals contaminants through smoke, dust, drinking water and food.

Meat and milk contamination with heavy metals

The Agbogbloshe area is a local dump site for any waste. Local cattle owners are feeding their cows and goats at Agbogbloshe e-waste yard where rests of food are common because big local food market is located nearby. Exposure for toxic smokes, consumption of food and water contaminated with heavy metals causes the accumulation of heavy metals in organisms of cattle. Contaminated milk and meat cause exposure of the subsequent links in the food chain, including humans. Heavy metals can be accumulated in cow and goat milk [4]. Research from 2016 indicates that lead and mercury were detected in analysed cow milk. Mercury concentration in cow milk samples was above the permissible limit [5]. The overall mean concentration of lead, arsenic, mercury, and nickel in human breastmilk samples were also above the permissible limits [5]. Consumption of food contaminated with heavy metals is one of major food chain routes for human exposure [6].

Soil contamination

In the e-waste areas, like Agbogbloshe, unprotected workers dismantle computers and T.Vs using Stones and heavy objects while searching of metals that can be sold. Most of the e-waste workers are children and youngsters. The remaining plastics, cables and casing are burnt at e-waste yards in developing countries [7]. Most of utilized electronics without doubt, contain toxic chemicals. Research indicates that the surface soil at the e-waste recycling area in Manila was polluted with copper, zinc and lead [8]. Carvanos research indicated that in Agbogbloshe of the 100 soil samples, more than half were above the US Environmental Protection Agency standard for lead in soil [9]. The results in Agbogbloshe indicated that mean concentrations of the copper, cadmium, lead, iron, chrome and nickel were significantly highest near burning sites [10].



Fot. 1 Burning e-waste at Agboglobshie e-waste yard (author's own photo)

Water contamination

Combustion process also groundwater pollution. [7] E-waste yards cause major risks by contamination of groundwater and nearby streams and rivers. Pollution of waters that have an estuary to the ocean can cause also ocean pollution. Heavy metals and inorganic acids can leach into waterways through wastewater or by air emissions and cause the risk of contaminating natural water and food resources such as soil, crops, drinking water, fish and livestock [11]. Consumption of drinking water and fishes contaminated with a high content of heavy metals can cause heavy metals accumulation in the subsequent links of the food chain, including humans.



Fot. 2 Leaving area of Agbogbloshie e-waste workers and their families (author's own photo)

Fruits and vegetables contamination

Heavy metals are non-biodegradable and may be deposited on the surfaces of fruits and vegetables and then absorbed into their tissues. [12] Heavy metal contamination of vegetables cannot be neglected. There is evidence that contaminants from e-wastes may be present in some agricultural or manufactured products for local consumption and export [13]. Watering plants with contaminated water from tanks in the vicinity of e-waste yards and toxic smokes may cause the incorporation of heavy metals into fruits and vegetables. Fruits and vegetables are important components of human diet. However, intake of vegetables contaminated by heavy metals can cause a risk to human health. Heavy metal contamination of food is one of the most important aspects which should be strictly controlled [14-21].

Conclusion

E-waste yards should not be located near big cities. Groundwater near e-waste yards should be frequently controlled and in case of water contamination should be banned for food purposes. Food crops should not be located in contaminated areas or nearby and should not be watered with contaminated water. Food quality in developing countries should be controlled.

Literature:

- [1] Babu, Balakrishnan Ramesh, Anand Kuber Parande, and Chiya Ahmed Basha. "Electrical and electronic waste: a global environmental problem." *Waste Management & Research* 25.4 (2007): 307-318.
- [2] Oteng-Ababio, Martin. "Electronic waste management in Ghana-issues and practices." *Sustainable Development-Authoritative and Leading Edge Content for Environmental Management*. InTech, 2012.
- [3] Puckett, Jim, ed. *The digital dump: Exporting re-use and abuse to Africa*. Basel Action Network, 2005.
- [4] Tripathi, R. M., et al. "Daily intake of heavy metals by infants through milk and milk products." *Science of the total environment* 227.2-3 (1999): 229-235.
- [5] Mends, Eunice Matilda. *Levels of Heavy Metals in Cattle and Human Milk Collected at Agbogbloshie, an E-Waste Dumpsite*. Diss. University of Ghana, 2016.
- [6] Khan, S., et al. "Health risks of heavy metals in contaminated soils and food crops irrigated with wastewater in Beijing, China." *Environmental pollution* 152.3 (2008): 686-692.
- [7] Oteng-Ababio, Martin. "Electronic waste management in Ghana-issues and practices." *Sustainable Development-Authoritative and Leading Edge Content for Environmental Management*. InTech, 2012.
- [8] Fujimori, Takashi, and Hidetaka Takigami. "Pollution distribution of heavy metals in surface soil at an informal electronic-waste recycling site." *Environmental geochemistry and health* 36.1 (2014): 159-168.
- [9] Caravanos, Jack, et al. "Assessing worker and environmental chemical exposure risks at an e-waste recycling and disposal site in Accra, Ghana." *Journal of health and pollution* 1.1 (2011): 16-25.
- [10] Chama, M. A., E. F. Amankwa, and M. Oteng-Ababio. "Trace metal levels of the Odaw river sediments at the Agbogbloshie e-waste recycling site." *Journal of Science and Technology (Ghana)* 34.1 (2014): 1-8.
- [11] Huo X , Peng L , Xu X , Zheng L , Qiu B , Qi Z , Zhang B , Han D , Piao Z. Elevated blood lead levels of children in Guiyu, an electronic waste recycling town in China. *Environ Health Perspect* [Internet]. 2007 Jul [cited 2013 Jan 7];115(7):1113–7.
- [12] Sharma, Rajesh Kumar, Madhoolika Agrawal, and Fiona M. Marshall. "Heavy metals in vegetables collected from production and market sites of a tropical urban area of India." *Food and chemical toxicology* 47.3 (2009): 583-591.
- [13] Robinson, Brett H. "E-waste: an assessment of global production and environmental impacts." *Science of the total environment* 408.2 (2009): 183-191.
- [14] Долوماتов СИ, Гоженко АИ, Москаленко ТЯ, Реутов ВП, Долomatова ЕА. Влияние аскорбиновой кислоты на почечный транспорт эндогенных нитратов и нитритов у

человека. Экспериментальная и клиническая фармакология. 2005; 68 (1): 50-52. = Dolomatov SI, Gozhenko AI, Moskalenko TJa, Reutov VP, Dolomatova EA. Vlijanie askorbinovoj kisloty na pochechnyj transport jendogennyh nitratov i nitritov u cheloveka. Jeksperimental'naja i klinicheskaja farmakologija. 2005; 68 (1): 50-52. = Dolomatov SI, Gozhenko AI, Moskalenko TY, Reutov VP, Dolomatova EA. [Effect of ascorbic acid on renal transport of endogenous nitrates and nitrites in humans]. Jeksperimental'naja i klinicheskaja farmakologija. 2005; 68 (1): 50-52.

[15] Запорожан, В.М., Гоженко, А.И. Від біоетики до ноетики. Вісник НАН України. 2004; 12: 22-29. = Zaporozhan, V.M., Gozhenko, A.I. Vid bioetiki do noetiki. Visnik NAN Ukraïni. 2004; 12: 22-29. = Zaporozhan, V.M., Gozhenko, A.I. [From bioethics to nooethics]. Visnik NAN Ukraïni. 2004; 12: 22-29. [in Ukrainian].

[16] Билецкий, С.В., Гоженко, А.И. Гипоксически-гиперкапнические тренировки в кардиологии. Черновцы. 2007. = Bileckij, S.V., Gozhenko, A.I. Gipoksicheski-giperkapnicheskie trenirovki v kardiologii. Chernovcy. 2007. = Bileckij, S.V., Gozhenko, A.I. [Hypoxic-hypercapnic exercises in cardiology]. Chernovcy. 2007. [in Russian].

[17] Гоженко АИ, Доренский ВС, Рудина ЕИ, Распутняк Г, Котюжинская Г, Котюжинский АЛ, Славина НГ. Причины и механизмы интоксикации нитратами и нитритами. Медицина труда и промышленная экология. 1996; 4: 15-20. = Gozhenko AI, Dorenskij VS, Rudina EI, Rasputnjak G, Kotjuzhinskaja G, Kotjuzhinskij AL, Slavina NG. Prichiny i mehanizmy intoksikacii nitratami i nitritami. Medicina truda i promyshlennaja jekologija. 1996; 4: 15-20. = Gozhenko AI, Dorenskiy VS, Rudina YeI, Rasputnyak G, Kotyuzhinskaya G, Kotyuzhinsky AL, Slavina NG. [Causes and mechanisms of intoxication with nitrates and nitrites]. Medicina truda i promyshlennaja jekologija. 1996; 4: 15-20. [in Russian].

[18] Попович ІЛ. Факторний і канонікальний аналізи параметрів нейро-ендокринно-імунного комплексу, метаболізму та ерозивно-виразкових пошкоджень слизової шлунку у щурів за умов гострого водно-імерсійного стресу. Медична гідрологія та реабілітація. 2007. = Popovych IL. Faktornyj i kanonikal"nyj analizy parametriv nejro-endokrynno-imunnoho kompleksu, metabolizmu ta erozyvno-vyrazkovyx poshkozhen" slyzovoyi shlunku u shhuriv za umov hostroho vodno-imersijnoho stresu. Medychna hidrolohiya ta rehabilitaciya. 2007. = Popovych IL. [Factor and canonical analysis parameters of neuro-endocrine-immune complex, metabolism and erosive and ulcerative injuries of stomach mucosa in rats under acute water-immersion stress]. Popovych IL. Medychna hidrolohiya ta rehabilitaciya. 2007. [in Ukrainian].

[19] Чебаненко ОІ, Чебаненко ЛО, Попович ІЛ. Поліваріантність бальнеоефектив чинників курорту Трускавець та їх прогнозування. К. ЮНЕСКО-СОЦІО. 2012. = Chebanenko OI, Chebanenko LO, Popovych IL. Polivariantnist" bal"neoeftektiv chynnykiv kurortu Truskavec" ta yix prohnozuvannya. K. YuNESKO-SOCIO. 2012. = Chebanenko OI, Chebanenko LO, Popovych IL. [Multivariate Balneoeffects of Factors of Spa Truskavets' and Forecasting]. Kyiv. UNESCO-SOCIO. 2012. [in Ukrainian].

[20] Kostyuk PG, Popovych IL, Ivassivka SV, Chebanenko LO, Kyenko VM (editors). Chornobyl', Adaptive and Defensive systems, Rehabilitation. Rehabilitation. Kyiv. Computerpress. 2006. 348 p. = Kostyuk PG, Popovych IL, Ivassivka SV, Chebanenko LO,

Kyenko VM (editors). Chornobyl', Adaptive and Defensive systems, Rehabilitation. Rehabilitation. Kyiv. Computerpress. 2006. 348 p. =

[21] Гоженко АІ. Роль оксиду азоту в молекулярно клітинних механізмах функції нирок. Український біохімічний журнал. 2002; 74 (4а): 96. = Hozhenko AI. Rol' oksydu azotu v molekulyarno klitynnykh mehanizмах funkciyi nyrok. Ukrayins'kyj bioximichnyj zhurnal. 2002; 74 (4a): 96. = Gozhenko AI. [Role of nitric oxide in molecular cellular mechanisms of renal function]. Ukrayins'kyj bioximichnyj zhurnal. 2002; 74 (4a): 96.